

490 East Industrial Park Drive
 Manchester, NH 03109
 www.nelsonanalytical.com
 (603)622-0200
 NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
 Vermont State Certification # VT1005
 Maine Radon Certification # ME17500
 Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer :	Baboosic Lake Association	Date Collected:	06/25/2020 10:25 AM
Client Sample ID:	Baboosic Lake Association	Collected By :	B. and K. Boyd
Laboratory ID:	120063115.01	Date Received :	06/25/2020 01:15 PM
Sample Matrix :	Lake/Pond	Temperature Rec'd°C:	#15
Sample Location:	Baboosic Lake, Hillside		

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	<1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer :	Baboosic Lake Association	Date Collected:	06/25/2020 10:30 AM
Client Sample ID:	Baboosic Lake Association	Collected By :	B. and K. Boyd
Laboratory ID:	120063115.02	Date Received :	06/25/2020 01:15 PM
Sample Matrix :	Lake/Pond	Temperature Rec'd°C:	#15
Sample Location:	Baboosic Lake, 4 Seasons		

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	<1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer :	Baboosic Lake Association	Date Collected:	06/25/2020 09:40 AM
Client Sample ID:	Baboosic Lake Association	Collected By :	B. and K. Boyd
Laboratory ID:	120063115.03	Date Received :	06/25/2020 01:15 PM
Sample Matrix :	Lake/Pond	Temperature Rec'd°C:	#15
Sample Location:	Baboosic Lake, Greenwood/Lakeside Drive		

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer :	Baboosic Lake Association	Date Collected:	06/25/2020 09:45 AM
Client Sample ID:	Baboosic Lake Association	Collected By :	B. and K. Boyd
Laboratory ID:	120063115.04	Date Received :	06/25/2020 01:15 PM
Sample Matrix :	Lake/Pond	Temperature Rec'd°C:	#15
Sample Location:	Baboosic Lake, Olivers Pipe		

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	<1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Notes: mg/L=ppm; ug/L=ppb; ng/L=ppb. "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. #-Sample(s) received at laboratory do not meet method specified temperature criteria.



Solid samples are reported on a dry weight basis unless noted otherwise.
 Subcontract Laboratories: SUB2: Nelson Analytical Maine NH2018 SUB 7: Nelson Analytical EAI Div. NH1007, SUB4:NH2073/2239, SUB5:NH2530, SUB8:NH2136, SUB9:NH2557
<http://des.nh.gov/organization/divisions/water/dwgb/nhelap>
http://healthvermont.gov/enviro/ph_lab/PublicHealthLaboratory.aspx
<https://www.maine.gov/dhhs/mecdc/environmental-health/dwp/professionals/labCert.shtml>
<https://www.mass.gov/certified-laboratories>

Date Reported: 06/26/2020 16:50

490 East Industrial Park Drive
 Manchester, NH 03109
 www.nelsonanalytical.com
 (603)622-0200
 NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
 Vermont State Certification # VT1005
 Maine Radon Certification # ME17500
 Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.05
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Carter Road

Date Collected: 06/25/2020 09:50 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	<1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.06
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Jebb Road

Date Collected: 06/25/2020 09:55 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.07
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Far Cove

Date Collected: 06/25/2020 10:00 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	2	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.08
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Seagull Heaven

Date Collected: 06/25/2020 10:05 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	<1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Notes: mg/L=ppm; ug/L=ppb; ng/L=ppt, "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # Sample(s) received at laboratory do not meet method specified temperature criteria.



Solid samples are reported on a dry weight basis unless noted otherwise.
 Subcontract Laboratories: SUB2: Nelson Analytical Maine NH2018 SUB 7: Nelson Analytical EAI Div. NH1007, SUB4:NH2073/2239, SUB5:NH2530, SUB8:NH2136, SUB9:NH2557
<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/>
http://healthvermont.gov/enviro/ph_lab/PublicHealthLaboratory.aspx
<https://www.maine.gov/dhhs/mecdc/environmental-health/dwp/professionals/labCert.shtml>
<https://www.mass.gov/certified-laboratories>

Date Reported: 06/26/2020 16:50

490 East Industrial Park Drive
 Manchester, NH 03109
 www.nelsonanalytical.com
 (603)622-0200
 NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
 Vermont State Certification # VT1005
 Maine Radon Certification # ME17500
 Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.09
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Washer Cove

Date Collected: 06/25/2020 10:10 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.10
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Moon Beam Cove

Date Collected: 06/25/2020 10:15 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	1	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Customer : Baboosic Lake Association
Client Sample ID: Baboosic Lake Association
Laboratory ID: 120063115.11
Sample Matrix : Lake/Pond
Sample Location: Baboosic Lake, Amherst Town Beach

Date Collected: 06/25/2020 10:20 AM
Collected By : B. and K. Boyd
Date Received : 06/25/2020 01:15 PM
Temperature Rec'd°C: #15

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
E. coli Bacteria	2	mpn/100mL	SM 9223B	1		06/25/2020 16:20	NH

Respectfully Submitted



Andrew Nelson, Laboratory Director

Notes: mg/L=ppm; ug/L=ppb; ng/L=ppt, "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # - Sample(s) received at laboratory do not meet method specified temperature criteria.



Solid samples are reported on a dry weight basis unless noted otherwise.
 Subcontract Laboratories: SUB2: Nelson Analytical Maine NH2018 SUB 7: Nelson Analytical EAI Div. NH1007, SUB4:NH2073/2239, SUB5:NH2530, SUB8:NH2136, SUB9:NH2557

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/>
http://healthvermont.gov/enviro/ph_lab/PublicHealthLaboratory.aspx
<https://www.maine.gov/dhhs/mecdc/environmental-health/dwp/professionals/labCert.shtm>
<https://www.mass.gov/certified-laboratories>

Date Reported: 06/26/2020 16:50